



# FERTIACTYL<sup>®</sup> ST

0-0-0

**FERTIACTYL ST IS A LIQUID NUTRITIONAL DESIGNED TO HELP INCREASE CROP STAND AND LESSEN EARLY SEASON STRESS**

## GUARANTEED ANALYSIS

ZINC (Zn) ..... 1%

DERIVED FROM ZINC EDTA

NON PLANT FOOD INGREDIENTS:

WATER, POLY-PHENOLIC AND ORGANIC ACIDS

**KEEP OUT OF REACH OF CHILDREN -  
SHAKE WELL BEFORE USE -  
READ ENTIRE LABEL BEFORE USING  
THIS PRODUCT**

**DIRECTIONS FOR USE:** FERTIACTYL IS A LIQUID FERTILIZER SPECIALLY FORMULATED TO IMPROVE ESTABLISHMENT AND VIGOR OF FIELD CROPS, VEGETABLES, AND FRUITS. FERTIACTYL IS INTENDED TO SUPPLEMENT STANDARD FERTILITY PROGRAMS AND IT IS A READILY AVAILABLE SOURCE OF ZINC. WHEN USING FERTIACTYL ST THROUGH A SEED TREATER APPLY WATER BASED MIXTURE THROUGH A STANDARD SLURRY, MIST-TYPE OR BATCH COMMERCIAL TREATER. PRIOR TO MIXING, POTENTIAL TANK MIX PARTNERS WHICH INCLUDE PESTICIDES, COLORANTS, DYES AND POLYMERS SHOULD BE TESTED FOR PHYSICAL COMPATIBILITY.


## FERTIACTYL ST

### APPLICATION RATE:

- 2-8 FLUID OUNCES PER 100 POUNDS OF SEED IN A SEED TREATER.
- 8-16 OZ/AC IN FURROW DIRECTLY ON SEED.
- 4-8 OZ/AC WITH FOLIAR NUTRITION.

### NOTICE OF WARRANTY:

TIMAC AGRO USA, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL USE CONDITIONS. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF TIMAC AGRO USA, INC. IN NO CASE SHALL TIMAC AGRO USA, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, OR SHIPPING OF THIS PRODUCT. ALL SUCH RISK SHALL BE ASSUMED BY THE BUYER. TIMAC AGRO USA, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

WARNING	
	<p>R36/38: IRRITATING TO EYES AND SKIN.            S2: KEEP OUT OF THE REACH OF CHILDREN.            S25: AVOID CONTACT WITH EYES.            S26: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.            S46: IF SWALLOWED, SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.            H 315: CAUSES SKIN IRRITATION.            H 301: TOXIC IF SWALLOWED.            H 311: TOXIC IN CONTACT WITH SKIN.            H 331: TOXIC IF INHALED.            H 227: COMBUSTIBLE LIQUID.</p>

### WEIGHT PER GALLON

8.9 lbs.

### NET CONTENT

1 Gal | 8.9 lbs.

MANUFACTURED BY TIMAC AGRO USA  
 P.O. Box 888 - ROUTE 724 & I-176 READING, PA  
 19607 -0888 - USA





# FERTIACTYL<sup>®</sup> ST Dry

0-0-0

FERTIACTYL ST DRY IS A SEED TREATMENT DESIGNED TO HELP MAXIMIZE ROOTING AND EMERGENCE

### GUARANTEED ANALYSIS

TOTAL NITROGEN (N) .....	0%	ZINC (Zn) .....	2%
AVAILABLE PHOSPHATE (P <sub>2</sub> O <sub>5</sub> ) .....	0%	MOLYBDENUM (Mo) .....	1%
SOLUBLE POTASH (K <sub>2</sub> O) .....	0%	SULFUR (S) .....	2%
MANGANESE (Mn) .....	2%	DERIVED FROM: MANGANESE SULFATE, ZINC SULFATE, SODIUM MOLYBDATE, PROPRIETARY GZA COMPLEX	

### F1550

**PRODUCT INFORMATION:** FERTIACTYL ST DRY PAIRS OUR GZA TECHNOLOGY WITH KEY MICRONUTRIENTS, FOR STRONGER EMERGENCE AND GREATER ENVIRONMENTAL STRESS TOLERANCE. FERTIACTYL ST DRY IS A SEED TREATMENT FOR ALL CROPS TO SET GREATER YIELD POTENTIAL, BY MAXIMIZING THE GENETIC POTENTIAL OF THE CROP. PROVIDING MICRONUTRIENTS IS KEY TO IMPROVING PLANT VIGOR, ENHANCING NUTRIENT UPTAKE, AND MAXIMIZING NUTRIENT USE EFFICIENCY. FERTIACTYL ST DRY CONTAINS A 80/20 SEED LUBRICANT OF TALC AND GRAPHITE.

**DIRECTIONS FOR USE:** USING THE INCLUDED 1.5 OZ SCOOP, APPLY NEEDED AMOUNT TO SEED BASED ON RECOMMENDED APPLICATION RATE. MIX INTO SEED WELL, DO NOT LEAVE IN SMALL PILE ON TOP OF THE SEED.

**APPLICATION RATE:** ALL CROPS: APPLY 2-3 OZ/CWT (ABOUT 1 OZ/UNIT OF SEED)

**WARNING:** HIGH LEVELS OF MOLYBDENUM MAY BE TOXIC TO RUMINANT ANIMALS.

### NOTICE OF WARRANTY:

TIMAC AGRO USA, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL USE CONDITIONS. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF TIMAC AGRO USA, INC. IN NO CASE SHALL TIMAC AGRO USA, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, OR SHIPPING OF THIS PRODUCT. ALL SUCH RISK SHALL BE ASSUMED BY THE BUYER. TIMAC AGRO USA, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

### DANGER



H350: MAY CAUSE CANCER (INHALATION).  
 P201: OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.  
 P202: DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
 P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.  
 P308+P313: IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.  
 P405: STORE LOCKED UP.  
 P501: DISPOSE OF CONTENTS/CONTAINER TO HAZARDOUS OR SPECIAL WASTE COLLECTION POINT, IN ACCORDANCE WITH LOCAL, REGIONAL, NATIONAL AND/OR INTERNATIONAL REGULATION.

MANUFACTURED BY TIMAC AGRO USA  
P.O. Box 888 - ROUTE 724 & I-176 READING, PA  
19607 -0888 - USA

